


name		(S)*	name		(S)*	name		(S)*
Bacteria	Bacillus Anthracis	0.3	Mould Spores	Aspergillus Niger	0.3-6.7	Virus	Bacteriophage	0.2
	Clostridium	0.3		Mucor Mucedo	4.6		Influenza	0.3
	Dysentery bacilli	1.5	Algae	Penicillium Roqueforti	0.9-3.0		Poliovirus1	0.8
	Escherichia coli	0.4		Blue-Green Algae	10-40	Fish Diseases	Hepatitis B Virus	0.8
	Staphylococcus Albus	1.3		Nematode Eggs	3.4		Leukoderma	2.7
	Micrococcus Candidus	0.4		Green Algae	1.2		Infections pancreatic necrosis	4.0
				Protozoa	4.0-6.7			1.6


TROUBLE SHOOTING

Troubel shooting	Cause	Remedy
Cloudywater	UVC Lamp dose not light up.	Check electrical connection
	Cleaning quartz glass tube soiled	Cleaning
	Incorrect pump flow rate(unit)	See installation
	Brown suspended material deposits at the bottom	Remove alga and leaves, prevent the ingress of dirt
	Pond extremely dirty	Check water valus, change the water
	Lamp has no UVC capacity	Check the lamp, change the lamp after 8000 h

CUV-111/118/136/155/172 PART LIST



CUV-107 PART LIST



CUV-155

CUV-172



CUV-107

CUV-111/118

CUV-136

UVC CLARIFYING
Instruction Manual

MODEL:CUV-107/111/118/136/155/172